

Genevac EZ-2 4.0 Elite



Tool Type: Parallel Evaporation System

Location: Elings Hall 241

Principal Scientist	Training and Operations Lead
Morgan Bates	Zachary Nett
morganbates@ucsb.edu	zjnett@ucsb.edu

About

The Genevac EZ-2 4.0 Elite is a high-performance evaporator system designed to efficiently remove solvents from samples through evaporation. It uses advanced vacuum and centrifugal technology to evaporate a wide range of solvents, including volatile organic compounds and aqueous solutions, without overheating or degrading sensitive samples.

Detailed Specifications

Solvent Compatibility:

SP Genevac evaporators are robust systems designed to be resistant to the most common solvents and acids used within the chemistry laboratory, including TFA and HCl. **However, the Genevac is not compatible with the following:**

- Carbon disulfide
- Diethyl ether
- 1,2-Dimethoxyethane
- 2-Ethoxyethanol
- Hydrogen cyanide
- Pentane
- Triethylsilane

Container Compatibility:

- 40-, 30-, 20-, and 8-mL vials
- 16-, 18-, and 25-mm diameter and 150 mm length test tubes
- 50-mL centrifuge tubes

Safety Concerns

The Genevac is not compatible with the following solvents:

- Carbon disulfide
- Diethyl ether
- 1,2-Dimethoxyethane
- 2-Ethoxyethanol
- Hydrogen cyanide
- Pentane
- Triethylsilane

Properly dispose of solvents collected in the waste reservoir once the evaporative run is complete.

Reference Documentation

V-10 User Manual

From:
<https://bpm-wiki.cnsi.ucsb.edu/> - NSF BioPACIFIC MIP Wiki

Permanent link:
https://bpm-wiki.cnsi.ucsb.edu/doku.php?id=genevac_ez2_4.0_benchtop_evaporator&rev=1728942947

Last update: **2024/10/14 21:55**

