

Rayjet 300 150W Laser Cutter

Rayjet 300 150W Laser Cutter



Tool Type: "laser Cutter"

Location: "Innovations Workshop"

Supervisor	Tool Lead
David Bothman	"WW Name"
(805) 893-4125	(###) ###-####
bothman@cnsi.ucsb.edu	"WW Email"

Description: "Laser cutter and engraver"

Manufacturer: "Trotec"

About

One of two laser cutters, the Rayjet is located in the Innovations Workshop along with its stand alone fume extractor. Both laser cutters utilize CorelDraw as a 2D sketch manager which is then imported into Trotec's specific cutting software. CorelDraw can be used to create the 2D sketch, however importing a DXF file or PDF into CorelDraw from Solidworks or other CAD packages is preferred due the CAD packages integrated features and functions.

Detailed Specifications

Working area: 726 x 432 mm

Max height of work piece: 149 - 200 mm depending on installed lens (see operations manual page 7)

Safety Concerns

Looking directly into the laser can cause retinal damage. Confirm that the fume collection system is running whenever the laser is cutting or engraving. See list of approved materials for laser cutting, some require nitrogen gas if flammable, or could release chlorine gas if cut. NO NOT CUT NON APPROVED MATERIALS INCLUDING METALS. Laser lenses must be cleaned within ONE WEEK of time of

use. If lenses has not been cleaned, clean before use to avoid damaging lenses.

Operating Procedures

Insert Text Here!

Reference Documentation

[rayjet-300_8024_operationmanual_en.pdf](#)

[rayjet_8015_software-manual_en.pdf](#)

[exhaust_system_information.pdf](#)

Training Documentation

[trotec_laser_training_r0.6.docx](#)

[rayjet_laser_cutter_notes.pdf](#)

[workshop_wizard_project_information_form_-_updated_laser_cutter_sop.pdf](#)

[trotec_and_rayjet_training_sign_in.pdf](#)

[trotec_rayjet_sop.pdf](#)

From:

<https://bpm-wiki.cnsi.ucsb.edu/dokuwiki/> - NSF BioPACIFIC MIP Wiki

Permanent link:

https://bpm-wiki.cnsi.ucsb.edu/dokuwiki/doku.php?id=rayjet_300&rev=1594834600

Last update: **2020/07/15 17:36**

