


# SCA 1200 HT NaOH parts bath

<b>SCA 1200 HT NaOH parts bath</b>	
	
<b>Tool Type:</b> "3D print support Dissolve"	
<b>Location:</b> "TEXT HERE"	
<b>Supervisor</b>	<b>Tool Lead</b>
David Bothman	"WW Name"
(805) 893-4125	(###) ###-####
bothman@cnsi.ucsb.edu	"WW Email"
<b>Description:</b> "Dissolves support filament for F270"	
<b>Manufacturer:</b> "PADT"	

## About

This tool is used to dissolve the support filament printed by the F270 FDM 3D printer. Using a heated solvent, parts can be loaded into the main bucket or suspended in a smaller cage during the support removal process.

## Detailed Specifications

Insert Text Here!

## Safety Concerns

Insert Text Here!

## Operating Procedures

Insert Text Here!

## Reference Documentation

[sca\\_1200ht\\_user\\_manual.pdf](#)

---

## Training Documentation

Insert Text Here!

---

From:

<https://bpm-wiki.cnsi.ucsb.edu/dokuwiki/> - **NSF BioPACIFIC MIP Wiki**

Permanent link:

[https://bpm-wiki.cnsi.ucsb.edu/dokuwiki/doku.php?id=sca\\_naoh\\_bath&rev=1594318472](https://bpm-wiki.cnsi.ucsb.edu/dokuwiki/doku.php?id=sca_naoh_bath&rev=1594318472)

Last update: **2020/07/09 18:14**

