

Material Safety Data Sheet

Boric Acid, Crystals, GR



1. Product and company identification

Product name : Boric Acid, Crystals, GR
Product code : BX0865
Supplier : EMD Millipore Corp.
290 Concord Rd.
Billerica, MA 01821
1-978-715-1335 Technical Service
Monday - Friday: 8:00 - 6:00 PM EST
Synonym : Orthoboric Acid
Material uses : Other non-specified industry: Analytical reagent.
Validation date : 7/17/2012.
In case of emergency : 800-424-9300 CHEMTREC (USA)
613-996-6666 CANUTEC (Canada)
24 Hours/Day: 7 Days/Week

2. Hazards identification

Emergency overview : WARNING!
May damage fertility or the unborn child.
CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
MAY BE HARMFUL IF SWALLOWED.
MAY BE HARMFUL IF INHALED.
Do not ingest. Avoid breathing dust. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

Physical state : Solid. [Powder. Granular solid.]

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Routes of entry : Dermal contact. Eye contact. Inhalation. Ingestion.

Potential acute health effects

Inhalation : Irritating to respiratory system.
Ingestion : May be harmful if swallowed.
Skin : Irritating to skin.
Eyes : Irritating to eyes.

Potential chronic health effects

Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : May damage the unborn child.
Fertility effects : May damage fertility.

Medical conditions aggravated by over-exposure : None known.

See toxicological information (section 11)

3 . Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
Boric Acid	10043-35-3	100

4 . First aid measures

- Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
- Inhalation** : Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
- Ingestion** : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5 . Fire-fighting measures

- Flammability of the product** : No specific fire or explosion hazard.
- Extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Hazardous thermal decomposition products** : No specific data.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 . Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up**
- Spill** : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7 . Handling and storage

- Handling** : Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store in accordance with local regulations. Store in original container, protected from direct sunlight. Keep container tightly closed and sealed until ready for use.

8 . Exposure controls/personal protection

Ingredient	Exposure limits
Boric Acid	<p>ACGIH TLV (United States, 2/2010). TWA: 2 mg/m³ 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. STEL: 6 mg/m³ 15 minute(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract.</p>

Consult local authorities for acceptable exposure limits.

- Engineering measures** : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: nitrile rubber
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If operating conditions cause high dust concentrations to be produced, use dust goggles. Recommended: safety glasses with side-shields
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Recommended: lab coat
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9 . Physical and chemical properties

- Physical state** : Solid. [Powder. Granular solid.]
- Flash point** : [Product does not sustain combustion.]
- Color** : White.
- Odor** : Odorless.
- Molecular weight** : 61.83 g/mole
- Molecular formula** : B-H3-O3
- pH** : Not available.
- Boiling/condensation point** : Not available.
- Melting/freezing point** : Decomposition temperature: 184.85°C (364.7°F)
- Relative density** : 1.51
- Vapor pressure** : Not available.

9 . Physical and chemical properties

Vapor density	: Not available.
Odor threshold	: Not available.
Evaporation rate	: Not available.
VOC	: 0 % (w/w)
Solubility	: Partially soluble in the following materials: water

10 . Stability and reactivity

Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	: No specific data.
Materials to avoid	: Reactive or incompatible with the following materials: alkalis and moisture.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 . Toxicological information

Acute toxicity

Product/ingredient name	Test Route	Species	Result
Boric Acid	LD50 Oral	Mouse	3450 mg/kg
	LD50 Oral	Rat	2660 mg/kg
	LD50 Oral	Rat	2500 mg/kg
	LDLo Dermal	Man	2430 mg/kg
	LDLo Dermal	Child	1500 mg/kg
	LDLo Dermal	Infant	1200 mg/kg
	LDLo Oral	Rat	3000 mg/kg
	LDLo Oral	Human	214.28 mg/kg
	LDLo Oral	Woman	200 mg/kg

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Observation
Boric Acid	Skin - Mild irritant	Human	-	-

Carcinogenicity

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Boric Acid	A4	-	-	-	-	-

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

12 . Ecological information

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Boric Acid	Acute EC50 777 mg/L	Daphnia	48 hours
	Acute EC50 226 mg/L	Daphnia	48 hours
	Acute EC50 133 mg/L	Daphnia	48 hours
	Acute EC50 777 to 932 ppm Fresh water	Daphnia - Water flea -	48 hours
		Daphnia magna -	<24 hours
	Acute EC50 226 to 246 ppm Fresh water	Daphnia - Water flea -	48 hours
		Daphnia magna -	<24 hours
	Acute EC50 133 to 153	Daphnia - Water flea -	48 hours

Continued on next page

12 . Ecological information

ppm Fresh water	Daphnia magna - <24 hours	
Acute LC50 >1100 mg/L	Fish	96 hours
Acute LC50 >1021 mg/L	Fish	96 hours
Acute LC50 >800 mg/L	Fish	96 hours
Acute LC50 92.83 to 148 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
Acute LC50 89.07 to 100.7 mg/L Marine water	Crustaceans - Opossum shrimp - Americamysis bahia - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
Acute LC50 50 to 100 ppm Fresh water	Fish - Rainbow trout, donaldson trout - Oncorhynchus mykiss	96 hours
Acute LC50 447000 to 561000 ug/L Fresh water	Fish - Coho salmon, silver salmon - Oncorhynchus kisutch - FRY - 0.5 g	96 hours
Acute LC50 280000 to 347000 ug/L Fresh water	Fish - Bonytail - Gila elegans - Swim-up - 11 to 18 days	96 hours
Acute LC50 279000 to 360000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Swim-up - 17 to 31 days	96 hours
Acute LC50 233000 to 293000 ug/L Fresh water	Fish - Razorback sucker - Xyrauchen texanus - Swim-up - 10 to 17 days	96 hours
Acute LC50 226000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - <24 hours	48 hours
Acute LC50 133000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	48 hours
Acute LC50 125000 to 162000 ug/L Fresh water	Fish - Flannelmouth sucker - Catostomus latipinnis - LARVAE - 12 to 13 days	96 hours
Acute LC50 >100000 ug/L Fresh water	Fish - Colorado squawfish - Ptychocheilus lucius - Juvenile (Fledgling, Hatchling, Weanling) - 99 to 115 days - 0.4 to 1.1 g	96 hours

Environmental effects : No known significant effects or critical hazards.

Other adverse effects : No known significant effects or critical hazards.

13 . Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

14 . Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	-	CHEMICALS, N.O.S.	-	-		-

PG* : Packing group

15 . Regulatory information

United States

- HCS Classification** : Irritating material
- U.S. Federal regulations** : **TSCA 8(a) IUR**: Partial exemption
United States inventory (TSCA 8b): This material is listed or exempted.
 TSCA (Toxic Substance Control Act): This product is listed on the TSCA Inventory.
SARA 302/304/311/312 extremely hazardous substances: No products were found.
SARA 302/304 emergency planning and notification: No products were found.
SARA 302/304/311/312 hazardous chemicals: Boric Acid
SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Boric Acid: Immediate (acute) health hazard, Delayed (chronic) health hazard
Clean Water Act (CWA) 307: No products were found.
Clean Water Act (CWA) 311: No products were found.
Clean Air Act (CAA) 112 accidental release prevention: No products were found.
Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
Clean Air Act (CAA) 112 regulated toxic substances: No products were found.
- DEA List I Chemicals (Precursor Chemicals)** : Not listed
- DEA List II Chemicals (Essential Chemicals)** : Not listed

Canada

- WHMIS (Canada)** : Class D-2A: Material causing other toxic effects (Very toxic).
 Class D-2B: Material causing other toxic effects (Toxic).
- Canadian lists** : **CEPA Toxic substances**: This material is not listed.
Canadian ARET: This material is not listed.
Canadian NPRI: This material is not listed.
Alberta Designated Substances: This material is not listed.
Ontario Designated Substances: This material is not listed.
Quebec Designated Substances: This material is not listed.
- CEPA DSL / CEPA NDSL** : This material is listed or exempted.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

EU regulations

- Hazard symbol or symbols** :




- Risk phrases** : R60- May impair fertility.
 R61- May cause harm to the unborn child.
- Safety phrases** : S53- Avoid exposure - obtain special instructions before use.
 S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

International regulations

- International lists** : **Australia inventory (AICS)**: This material is listed or exempted.
China inventory (IECSC): This material is listed or exempted.
Japan inventory: This material is listed or exempted.
Korea inventory: This material is listed or exempted.
New Zealand Inventory of Chemicals (NZIoC): This material is listed or exempted.
Philippines inventory (PICCS): This material is listed or exempted.

16 . Other information

National Fire Protection :
Association (U.S.A.)



Notice to reader

The statements contained herein are based upon technical data that EMD Millipore Corp. believes to be reliable, are offered for information purposes only and as a guide to the appropriate precautionary and emergency handling of the material by a properly trained person having the necessary technical skills. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use, storage and disposal of these materials and the safety and health of employees and customers and the protection of the environment. EMD MILLIPORE CORP. MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE, WITH RESPECT TO THE INFORMATION HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS.